

Government Gazette

ISSN-0157-8324

No. G32 8 August 2018

General information

The Gazette is published by the Office of the Parliamentary Counsel.

The Gazette will be published every **Wednesday**, with the closing date for notices being the previous Friday at 4.00 pm.

Notices not received by the closing time will be held over until the next issue.

Notices will not be published unless a Gazette notice request form together with a copy of the signed notice and a clean copy of the notice in Word or PDF is emailed to gazettes@nt.gov.au

Notices will be published in the next issue, unless urgent publication is requested.

Availability

The Gazette will be available online at 12 Noon on the day of publication at https://nt.gov.au/about-government/gazettes

Unauthorised versions of Northern Territory Acts and Subordinate legislation are available online at https://legislation.nt.gov.au/

Crown Lands Act

Notice of Temporary Closure of Reserve

Robbie Robbins Reserve

Notice is hereby given in accordance with the *Crown Lands Act* and Section 8 (b) of the *Crown Lands (Recreation Reserve) Regulations*, that Robbie Robbins Reserve will be closed to the public on 17, 18 and 19 August 2018, for the purpose of conducting the Top End Rodeo Circuit.

Dated 31 July 2018

John McLaren Chairman Board of Trustees

Northern Territory of Australia Notifiable Diseases Act

Revocation of Approval and Approval of Form of Declaration

- I, Natasha Kate Fyles, Minister for Health, with effect on and from 9 September 2018:
- (a) under section 26A(3) of the Notifiable Diseases Act and with reference to section 43 of the Interpretation Act, revoke the approval titled "Approval of Form of Declaration" dated 14 July 2016 and published in Gazette No. S73 of 27 July 2016; and
- (b) under section 26A(3) of the *Notifiable Diseases Act*, approve for section 26A(2)(a) of the Act, the form of declaration set out in the Schedule.

Dated 16 July 2018

N. K. Fyles Minister for Health

Donor questionnaire

Thank you for coming to give blood today.

Your donation today could save the lives of up to three people. The questions on this form help the Blood Service provide safe blood and blood products to those in need.

About these questions

We will ask you some questions about your general health to help us to decide if it is safe for you to give blood today and, if so, the best type of donation for you.

All of these questions are important, and you need to answer each one honestly and the best you can. This is important to ensure your safety and the safety of patients who receive the blood products. There are severe penalties, including fines and imprisonment, for giving false or misleading information.

If you have any questions, please discuss them with the staff member who interviews you.

Blood testing

Your donation is tested primarily to ensure the safety of the person who receives it. You should not rely on this testing for your own personal health screening purposes. When a collection is unsuccessful, the samples will not be tested.

In some cases samples cannot be tested for technical reasons. When this occurs your donation will not be used.

Before being given to patients, all donations are tested for hepatitis B, hepatitis C and HIV (AIDS virus). Your first donation is also tested for HTLV (human T-lymphotropic virus) and syphilis. HTLV and syphilis testing will then only be repeated for specific donation types. If your blood tests positive or shows a significantly abnormal result, we will notify you.

You have the option to change your mind about donating at any time. Simply tell a staff member if you wish to leave.

How your information will be used

Your Information will be:

- used to:
- assess your eligibility to donate blood,
- ensure the safety of both donors and recipients,
 contact you for future donations, and
- assist with research including improving the safety of transfusion and donation;
- treated as confidential and held in compliance with the Privacy Act 1988 (Cth.), State/Territory health records legislation and the Blood Service's Privacy Policy. Our Privacy Policy is available on request and contains information about how you may access and seek correction of your personal information, how you may complain about a breach of your privacy, and how we will deal with that composite.

For more information call 13 14 95 or visit donateblood.com.au

Stock No. 15340947 FRM-00164 | Version: 4 | Date Effective 9 September 2018 | Page 1 of 6

Every time you donate

You should bring photo ID or your donor card.

Please fill in the declaration section of this form but do not sign until you have completed the interview!

In the 24 hours before

· Drink plenty of fluids, especially in warm weather.

In the 3 hours before

- Drink 750 mL of fluids.
- · Have something to eat savoury and saity foods are best.
- Avoid strenuous exercise.

After you donate

Should you become aware of any reason why your blood should not be used for transfusion after your donation, please call us on 13 14 95. In particular, notify us immediately if:

- You develop a cough, cold, diarrhoea or other infection within a week after donating, or
- You are diagnosed or hospitalised with a serious infection within two months of donating.

For your records

A staff member will enter your details below:

Donor ID number:				
Date:				
Haemoglobin g/L:				
The Blood Service acceptable ranges for haemoglobin are:				
Whole blood donors: Females 120 to 165 g/L and males 130 to 185 g/L				
Plasma and platelet donors: Females 115 to 165 g/L and males 125 to 185 g/L				
Blood Pressure (mmHg/mmHg):				





Important information about how to help ensure a safe and comfortable blood donation experience

Blood donation is extremely safe

However, problems can occasionally happen during or after a donation. These problems are uncommon, but we require you to read this information so that, if they do occur, you will know what to do.

Please note: All equipment used in blood collection is sterile, used once only and then discarded.

If you have any concerns or are feeling anxious ask a staff member for assistance.

Feeling faint and fainting

Fainting is caused by a reflex which slows your pulse and lowers your blood pressure for a short time.

A very small number of blood donors, about 1 in 100, may feel faint (dizzy, light-headed, hot, sweaty or unwell) during or straight after their donation. A much smaller number, about 1 in 1000, actually faint

Some donors may also feel faint or faint after leaving the blood

On the day

What you eat and drink before donating is important for your safety; see the guidelines on page 1.

Reducing the chance of fainting

While you are in the centre

- . If you are donating whole blood (not plasma or platelets)
- drink two glasses of water after you arrive at the donor centre.

 If you usually have low blood pressure and feel faint when you
- stand up suddenly, please tell us before you donate.

 During your donation, tense and relax your inner thigh and abdominal muscles to help maintain an optimal blood flow – ask a staff member for an instruction card.
- Spend at least 15 to 20 minutes in the refreshment area after donating and have a cool drink (about 500 mL) and a savoury snack to allow your blood volume to adjust.

For the 6 hours after you leave it is important to:

- · Keep drinking plenty of cool fluids.
- · Eat regular meals.
- Avoid alcoholic and hot drinks.
- Avoid standing for long periods.
 Avoid getting overheated (e.g. by strenuous exercise, or having a hot shower).

What to do if you feel faint

Do not drive for at least 6 hours after you have recovered.

immediately sit or lie down as flat as possible to avoid falling, then:

- . If you are still in the donor centre, tell a staff member.
- . Stay lying down for around 30 minutes or until you feel well again.
- . While lying down, cross your legs, squeeze your inner thigh and abdominal muscles, and stretch your ankles for 5 seconds, then relax. Repeat this 5 times then switch legs.
- . Sit up for at least 5 minutes before you stand up.
- Do not drive for at least 6 hours after you've recovered because there is a risk that you may faint while you are driving.

If you feel faint while driving, slow down and stop the car as soon as it is safe to do so. Remain in the car, and lay your seat as flat as possible. Do not get out of your car as fainting beside a road can be dangerous. Do not attempt to drive again. Call 000 for an ambulance.

Bruising and bleeding

Small bruises at the needle site are not unusual, but generally cause very few problems and disappear within a week. Larger bruises or bleeding

To reduce the risk of bruising and bleeding at the needle site:

Avoid using your donation arm to eat and drink while at the donor centre.

- . Be careful when putting on a Jacket after donating.
- Avoid lifting or carrying anything with your donation arm for 30 minutes.
- . Keep the bandage on your arm for 2 hours.
- · Minimise heavy lifting for 24 hours.

If you develop a bruise that causes discomfort, an icepack and/or a mild pain reliever such as paracetamoi may help (do not use aspirin or other anti-inflammatory medication like ibuprofen). Always wrap ice or ice packs in cloth and apply for a maximum of 20 minutes at a time, 3-4 times a day.

If you start bleeding from the needle site, apply pressure and lift your arm above your shoulder, keeping your elbow straight, for 15 minute

Please phone the Blood Service on 13 14 95 if you have any bleeding or bruising so we can help.

Iron levels and blood donation

Your red blood cells are rich in iron, which means blood donation results In Iron loss. If the amount of Iron In your body falls too low, you may become iron deficient. This may lead to:

- Tiredness and/or difficulty concentrating.
- Low haemoglobin levels (anaemia).

Before donating, you'll be given a haemoglobin screening test. This is not a direct measure of iron levels so does not detect all cases of Iron deficiency, but it ensures we do not take blood from you if you have a low haemoglobin level. If your haemoglobin is below our guidelines, we'll need to delay your donation and may refer you to your doctor.

To help replace the Iron loss associated with donation, and prevent Iron deficiency and anaemia, we recommend you have a healthy dietary intake of iron-rich foods. This may not be sufficient for all donors, especially teenagers and women of childbearing age.

If you are trying to become pregnant you should try to build and aintain healthy iron stores to support the increased iron requirements of pregnancy.

If you have concerns about your Iron levels or would like further nformation, talk to a staff member and/or your general practitioner. You can also find more information in our brochure Why iron and haemoglobin are important

Uncommon events

- . Nerve irritation sometimes the donation needle may irritate a nerve. This may cause pain which is normally only momentary. If any pain persists please advise a staff member immediately. Pressure on a neve may also cause temporary numbness of the forearm.
- Needle inserted into an artery if this happens the needle will be removed and pressure applied.
- . Infection or formation of a blood clot (thrombosis) this may lead to redness, tenderness or swelling.
- . Increase in pulse rate or a sensation of tightness or pain in the chest.

If you have any of these symptoms or other concerns whilst in the donor centre, please let a staff member know Immediately. If you develop symptoms after leaving the donor centre and require urgent medical attention, go to a hospital or see a doctor so the problem can be assessed

If you're not sure whether you should seek medical attention, please call us on 13 14 95 for advice. If you do see a doctor, please call and let us know the outcome.

FRM-00164 | Version: 4 | Date Effective 9 September 2018 | Page 2 of 6



A New and returned donors

Please complete this section only if:

- · you are a new donor, or
- you have not donated within the last 2 years.

Otherwise, proceed to section B.

Please complete using blue or black ink (not pencil) by placing a cross or a tick in the relevant box. Do not circle. If you make a mistake, cross it out and write your initials next to the correction.

Ha	ve you:			Comments (staff use only
1.	Ever volunteered to donate blood before?	Yes	No	NP
	If yes – where?When?	_		
2.	Ever been advised not to give blood?	Yes	No	NP
3.	Ever suffered from anaemia or any blood disorder?	Yes	No	A4
4.	Ever had a serious illness, operation or been admitted to hospital?	Yes	No	A5
5.	Ever been pregnant (including miscarriage and termination of pregnancy)? I am male	Yes	No	N5
	5a. If your answer is "Yes" – have you been pregnant in the last 9 months?	Yes	No	79
6.	Had a neurosurgical procedure involving the head, brain or spinal cord between 1972 and 1989?	Yes	No	A6
7.	Ever received a transplant or graft (organ, bone marrow, cornea, dura mater, bone, etc.)?	Yes	No	A7
8.	Received injections of human growth hormone for short stature or human pituitary hormone for infertility prior to 1986?	Yes	No	A8
9.	Ever suffered from a head injury, stroke or epilepsy?	Yes	No	A9
10.	Ever had a heart or blood pressure problem, chest pain, rheumatic fever or a heart murmur?	Yes	No	ВО
11.	Ever had a bowel disease, stomach or duodenal problems or ulcers?	Yes	No	B1
12.	Ever had kidney, liver or lung problems including tuberculosis (TB)?	Yes	No	B2
13.	Ever had diabetes, a thyroid disorder or an autoimmune disease e.g. rheumatoid arthritis or lupus?	Yes	No	B3
14.	Ever had cancer of any kind including melanoma?	Yes	No	B4
15.	Ever had malaria, Q fever, leptospirosis or Chagas' disease?	Yes	No	B5
16.	Ever had jaundice (yellow eyes/skin) or hepatitis?	Yes	No	M9
17.	Ever had treatment with the medication TIGASON (Etretinate) or NEOTIGASON (Acitretin)?	Yes	No	B9
Tra	vel questions:			
18.	What was your country of birth?	_		M1
19.	Have you ever been outside Australia?	Yes	No	NO
	If your answer to question 19 is 'No' please go straight to Section B on the next page	_		
20.	Have you spent a continuous period of 6 months or more outside Australia at any stage of your life?	Yes	No	N1
21.	Have you been outside Australia in the last 3 years?	Yes	No	B7
22.	Have you ever received a transfusion or injection of blood or blood products outside Australia?	Yes	No	N2
23.	From 1 January 1980 through to 31 December 1996 inclusive, have you spent (visited or lived) a total time which adds up to 6 months or more in England, Scotland, Wales, Northern Ireland, the Channel Islands, the Isle of Man, or the Falkland Islands?	Yes	No	M8

FRM-00164 | Version: 4 | Date Effective 9 September 2018 | Page 3 of 6

B Medical questionnaire

All donors please complete this section

Please complete using blue or black ink (not pencil) by placing a cross or a tick in the relevant box.

Do not circle. If you make a mistake, cross it out and write your initials next to the correction.

				Comments (staff use only)
1.	Are you feeling healthy and well?	Yes	No	со
2.	In the next 3 days, do you intend to participate in any activity which would place you or others at risk of injury if you were to become unwell after donating, such as: driving public transport, operating heavy machinery, underwater diving, piloting a plane or other activities?	Yes	No	CZ
ln	the last week, have you:			
3.	Had dental work, cleaning, fillings or extractions?	Yes	No	C4
4.	Taken any aspirin, pain killers or anti-inflammatory preparations?	Yes	No	C5
5.	Had any cuts, abrasions, sores or rashes?	Yes	No	C6
6.	Had a gastric upset, diarrhoea, abdominal pain or vomiting?	Yes	No	C7
Si	nce your last donation, have you – or if you are a new donor, have you in th			
7.	Been unwell, or seen a doctor or any other health care practitioner, had an operation (surgical procedure) or any tests/investigation?	Yes	No	C9
8.	Had chest pain/angina or an irregular heartbeat?	Yes	No	DO
9.	Taken or used any medication, including: Regular or clinical trial medication? Acne or other skin condition medications?	Yes	No	D1
10	 Injectable medications? Had a sexually transmitted infection e.g. syphilis, gonorrhoea or genital herpes? 	Yes	No	D5
	Had any immunisations/vaccinations including as part of a clinical trial?	Yes	No .	D6
	Had shingles or chickenpox?	Yes	No	D7
	Do you know of anyone in your family who had or has: Creutzfeldt-Jakob disease (CJD)? Gerstmann-Straussier-Scheinker syndrome (GSS)? Fatal familial insomnia (FFI)?	Yes	No	D8
lf :	you have completed Section A today, please go to Section C on the next p			
Si	nce your last donation, have you:			
14	Been pregnant (including miscarriage and termination of pregnancy)?	Yes	No	C1
	14a. If your answer is "Yes" – have you been pregnant in the last 9 months?	Yes	No	75
15	Received a transfusion or injection of blood or blood products?	Yes	No	M2
16	Been outside Australia?	Yes	No	M4

FRM-00164 I Version: 4 I Date Effective 9 September 2018 I Page 4 of 6 $\,$



All donors please complete this section

There are some people who MUST NOT give blood as it may transmit infections to those who receive it. To determine if your blood will be safe to be given to people in need, we would like you to answer some questions. These questions are a vital part of our efforts to eliminate diseases from the blood supply. All of the questions are important to answer. Answer each question on the form as honestly as you can and to the best of your knowledge.

THERE ARE PENALTIES INCLUDING FINES AND IMPRISONMENT FOR ANYONE PROVIDING FALSE OR MISLEADING INFORMATION.

Please complete using blue or black ink (not pencil) by placing a cross or a tick in the relevant box. Do not circle. If you make a mistake, cross it out and write your initials next to the correction.

To	the best of your knowledge, have you EVER:	Comments (staff use only)		
1.	Thought you could be infected with HIV or have AIDS?	Yes	No	E2
2.	"Used drugs" by injection or been injected, even once , with drugs not prescribed by a doctor or dentist?	Yes	No	E3
3.	Had a test which showed you had hepatitis B, hepatitis C, HIV or HTLV?	Yes	No	E5
ln	the last 12 months have you:			
4.	Had an Illness with both a rash AND swollen glands, with or without a fever?	Yes	No	E1
5.	Engaged in sexual activity with someone you might think would answer "yes" to any of questions 1-4?	Yes	No	E6
6.	Had sexual activity with a new partner who currently lives or has previously lived overseas?	Yes	No	E7
7.	Had sex (with or without a condom) with a man who you think may have had oral or anal sex with another man?	Yes	No	FO
8.	Had male to male sex (that is, oral or anal sex) with or I am female without a condom?	Yes	No	E9
9.	Been a male or female sex worker (e.g. received payment for sex in money, gifts or drugs)?	Yes	No	FI
10	. Engaged in sexual activity with a male or female sex worker?	Yes	No	F2
11	. Been imprisoned in a prison or been held in a lock-up or detention centre?	Yes	No	F6
12	. Had a blood transfusion?	F7		
13	. Had (yellow) jaundice or hepatitis or been in contact with someone who has?	F8		
ln	the last 4 months have you:			
14	. Been injured with a used needle (needlestick)?	Yes	No	F3
15	. Had a blood/body fluid splash to eyes, mouth, nose or to broken skin?	Yes	No	F4
16	. Had a tattoo (including cosmetic tattooing), body and/or ear piercing, electrolysis or acupuncture (including dry-needling)?	Yes	No	F5

FRM-00164 I Version: 4 I Date Effective 9 September 2018 I Page 5 of 6

Please print:			
Surname/family name	Given name		
Date of birth D D / M M / Y Y Y			
How your information will be used			
Your Information will be:			
used to:			
assess your eligibility to donate blood,			
ensure the safety of both donors and recipients, contact you for future donations, and			
assist with research including improving the safety of t	ransfusion and donation;		
 treated as confidential and held in compliance with the Pr 	rivacy Act 1988 (Cth), State/Territory health records legislation and the Blood Service's and contains information about how you may access and seek correction of your personal		
How your blood will be used			
Thank you for your special gift of blood.			
Here's how your blood donation will be used:			
	ople who are unwell. This may include the supply of plasma from your blood donation to CS		
Behring who is contracted by the Australian government to manufacture plasma-derived medicines for Australians.			
 Your blood donation may be used by the Blood Service or other approved organisations for the purposes of research, teaching and checking quality. We may supply some red cells from your blood donation for the production of red cell testing kits which are used by hospitals, pathology services and 			
 we may supply some red cens from your blood donation for the production of red cent testing kits which are used by nospitals, patriology services and blood banks in Australia to assist in the correct matching of blood for transfusions. 			
	ood Sample Archive for possible future testing and research: samples that are no longer		
required will be destroyed.			
	ittee is required before any research is undertaken on any part of your blood donation.		
Occasionally we may ask you to undergo follow-up tests which	h you have the option to decline.		
Declaration			
 I agree for my donation to be used for the purposes set out 	t above,		
	nt information about how to help ensure a safe and comfortable blood donation experience"		
 (page 2) and had the opportunity to ask questions; Laccept the risks associated with blood donation and agree 	e to follow the instructions of Blood Service staff to minimise these risks;		
-	become aware of any reason why my donation should not be used;		
	rm and answered the questions honestly and to the best of my knowledge; and		
 I understand there are penalties, including fines and impri 	isonment, for providing false and misleading information.		
This declaration is to be signed in the prese	ence of a Blood Service staff member		
Signature	Date D D / M M / Y Y Y		
Ct-Wit			
Staff Withess (please print)	Gian name		
Surname/family name			
Staff witness (please print) Surnamefamily name			

FRM-00164 | Version: 4 | Date Effective 9 September 2018 | Page 6 of 6

Northern Territory of Australia Weeds Management Act

Amendment of Weed Management Plan for Andropogon Gayanus (Gamba Grass)

I, Eva Dina Lawler, Minister for Environment and Natural Resources, under section 12(5) of the *Weeds Management Act*, give notice of an amendment to the "Weed Management Plan for *Andropogon gayanus* (Gamba Grass) 2010".

The reason for the amendment to the management plan is to:

- (a) improve legislative rigour and implementation of the plan; and
- (b) provide greater transparency of compliance and enforcement programs; and
- (c) clarify instructions across all land management situations; and
- (d) reflect better management outcomes.

Dated 31 July 2018

E. D. Lawler Minister for Environment and Natural Resources

Notes

The "Weed Management Plan for Andropogon gayanus (Gamba Grass) 2010" was approved by instrument dated 6 July 2010 and published in Gazette No. G29 of 21 July 2010 and amended by the instrument entitled "Amendment of Weed Management Plan for Andropogon Gayanus (Gamba Grass)" dated 23 January 2014 and published in Gazette No. G14 of 9 April 2014.

As a result of the amendments, the "Weed Management Plan for Andropogon gayanus (Gamba Grass) 2010" will be known as the "Weed Management Plan for Gamba Grass (Andropogon gayanus) 2018".