



Victoria Government Gazette

No. S 35 Monday 23 February 2009
By Authority, Victorian Government Printer

Environment Protection Act 1970

Act No. 8056/1970

INDUSTRIAL WASTE MANAGEMENT POLICY (PRESCRIBED INDUSTRIAL WASTE)

Prescribed Industrial Waste – Classification by Hazard

Pursuant to clause 11(1) of the Industrial waste management policy (Prescribed Industrial Waste) and in accordance with the criteria presented in Schedule 1 to that policy, the Environment Protection Authority Victoria ('EPA') hereby classifies the prescribed industrial wastes specified in Section 3 below based on the hazard posed by the waste to human health and the environment.

1 CLASSIFICATION NUMBER

2009/009

2 OCCUPIER AND PREMISES TO WHICH THIS CLASSIFICATION APPLIES

- Veolia Environmental Services Pty Ltd, ACN 051 316 584 ('the occupier')
- Registered Office: Level 1, 85 Buckhurst Street Port Melbourne, Vic. 3205
- Premises Address: 2 McDonald Road, Brooklyn, Vic. ('the premises')

3 PRESCRIBED INDUSTRIAL WASTE TO WHICH THIS CLASSIFICATION APPLIES

3.1 This classification applies to the following prescribed industrial wastes handled at the premises:

- Contaminated soil located at the premises not exceeding 2000 tonnes originating from 287–295 Little Bourke Street, Melbourne, Vic.; and managed as specified in the 'Application for Classification by EPA Victoria for Prescribed Industrial Waste' submitted by the occupier to EPA on 6 January 2009 ('the application'):
 - containing Benzo (a) pyrene with:
 - a total concentration not exceeding the values listed in the application; and
 - a leachable concentration not exceeding the ASLP1 threshold specified in Appendix 3 of EPA Publication 996; 'Guidelines for Hazard Classification of Solid Prescribed Industrial Wastes, 2005' (as amended from time to time) ('EPA Publication 996'); and
 - containing total polycyclic aromatic hydrocarbon (PAH) not exceeding the TC2 threshold specified in Appendix 3 of EPA Publication 996; and
 - containing any other contaminants provided that their total concentrations or leachable concentrations do not exceed any TC1 or ASLP1 thresholds specified in Appendix 3 of EPA Publication 996; and
 - that does not display any of the specific hazard characteristics listed in Appendix 2 of EPA Publication 996.

4 PERIOD OF VALIDITY

This classification commences on 17 February 2009 and is effective until 31 December 2009 unless it is revoked or varied by the EPA.

5 HAZARD CLASSIFICATION

Contaminated soil that has been managed in accordance with the conditions of this classification (as set out in section 6 below) is classified as Category C prescribed industrial waste.

SPECIAL

6 CONDITIONS OF CLASSIFICATION

Contaminated soil referred to in section 5 above ('wastes') is only classified as Category C prescribed industrial waste if all of the following conditions have been met.

Waste assessment, treatment and disposal requirements

- 6.1 Wastes must not contain any free liquid as determined by method 9095A 'Paint Filter Liquid Test' in the Test Methods for Evaluating Solid Wastes – Chemical / Physical Methods (USEPA 1997).
- 6.2 Prior to sampling and laboratory analyses of the wastes destined for landfill, wastes must not be mixed or contaminated with any other waste or with any other prescribed industrial waste as listed in Part B of Schedule 1 to the Environment Protection (Prescribed Waste) Regulations 1998.
- 6.3 Prior to their disposal to landfill, wastes must be assessed against compliance with section 3.1 of this classification.
- 6.4 Wastes with results of laboratory analyses exceeding the allowed threshold values of total concentrations or leachable concentrations specified in section 3.1 of this classification must not be disposed of to landfill.
- 6.5 Wastes must only be transported with EPA waste transport certificate/s in a vehicle permitted by the EPA to transport prescribed industrial waste.
- 6.6 Wastes must be disposed of to a facility licensed by EPA to accept Category C prescribed industrial waste.

Sampling and analysis

- 6.7 The occupier must carry out sampling and analysis of the wastes in accordance with Schedule 1 to this classification.
- 6.8 The sampling of wastes must be carried out in accordance with EPA Publication 441, 'A guide to the Sampling and Analysis of Waters, Wastewater, Soils and Waste, 2000' (as amended from time to time).

Monitoring and reporting

- 6.9 Prior to disposal of the wastes, the occupier must submit a full copy of this classification to the receiving landfill facility.
- 6.10 Not later than 15 days after disposal of the wastes, the occupier must submit to EPA:
 - the tabulated results of laboratory analyses of the wastes and their corresponding laboratory reports;
 - the quantity of wastes;
 - the date of its disposal; and
 - the name of the landfill accepting the wastes.

Notification and record keeping

- 6.11 The occupier must keep a copy of laboratory analyses reports of wastes and transport certificate/s for a period of at least two years.
- 6.12 Prior to disposal of the wastes, the occupier must notify EPA in writing of any findings that may warrant a re-classification of the wastes.

7 NOTES

Wastes that have been managed in accordance with the conditions of this classification may only be disposed of using the following waste type code:

'N121 – Category C contaminated soil'.

This classification may be amended or revoked by the EPA by way of written notice in the Victoria Government Gazette. Current classifications can also be found on EPA's website at www.epa.vic.gov.au

Schedule 1: Sampling and analysis requirements

Period	Sample Requirements	Frequency	Analytical Parameters
17 February 2009 – 31 Dec 2009	10 samples across each stockpile as per EPA Publication 1178 – Soil Sampling Guideline, 2007	Every stockpile	Analysis of total and leachable (high and low pH) contaminant concentrations for the following contaminants listed in Appendix 3 of EPA Publication 996: – Total Polyaromatic Hydrocarbons (PAH) – Benzo(a)pyrene (BaP)
17 February 2009 – 31 Dec 2009	10 extractions from the highest total concentration of PAH and Bap	Every Stockpile	Multiple Extraction Procedure analyzed with synthetic acid rain

Environment Protection Act 1970

Act No. 8056/1970

INDUSTRIAL WASTE MANAGEMENT POLICY (PRESCRIBED INDUSTRIAL WASTE)**Prescribed Industrial Waste – Classification by Hazard**

Pursuant to clause 11(1) of the Industrial waste management policy (Prescribed Industrial Waste) and in accordance with the criteria presented in Schedule 1 to that policy, the Environment Protection Authority Victoria ('EPA') hereby classifies the prescribed industrial wastes specified in Section 3 below based on the hazard posed by the waste to human health and the environment.

1 CLASSIFICATION NUMBER

2009/003

2 OCCUPIER AND PREMISES TO WHICH THIS CLASSIFICATION APPLIES

- Coppin Property Pty Ltd, ACN 125 908 830 ('the occupier')
- Registered Office: 36 Byron Street, North Melbourne, Vic. 3051
- Premises Address: 49–59 Coppin Street, Richmond, Vic. ('the premises')

3 PRESCRIBED INDUSTRIAL WASTE TO WHICH THIS CLASSIFICATION APPLIES

3.1 This classification applies to the following prescribed industrial wastes generated at the premises:

- Contaminated soil located at the premises with a volume not exceeding 1,600 cubic meters managed as specified in the finalized 'Application for Classification by EPA Victoria for Prescribed Industrial Waste' submitted to EPA on 25 November 2008:
 - containing Benzo (a) pyrene with:
 - a total concentration not exceeding the TC2 threshold specified in appendix 3 of EPA Publication 996, 'Guidelines for Hazard Classification of Solid Prescribed Industrial Wastes, 2005' (as amended from time to time) ('EPA Publication 996'); and
 - a leachable concentration not exceeding the ASLP1 threshold specified in Appendix 3 of EPA Publication 996; and
 - containing total polycyclic aromatic hydrocarbon (PAH) not exceeding the TC2 threshold specified in Appendix 3 of EPA Publication 996; and
 - containing any other contaminants provided that their total concentrations or leachable concentrations do not exceed any TC1 or ASLP1 thresholds specified in Appendix 3 of EPA Publication 996; and
 - that does not display any of the specific hazard characteristics listed in Appendix 2 of EPA Publication 996.

4 PERIOD OF VALIDITY

This classification commences on 6 February 2009 and is effective until 31 December 2009 unless it is revoked or varied by the EPA.

5 HAZARD CLASSIFICATION

Contaminated soil that has been managed in accordance with the conditions of this classification (as set out in section 6 below) is classified as category C prescribed industrial waste.

6 CONDITIONS OF CLASSIFICATION

Contaminated soil referred to in section 5 above ('wastes') is only classified as Category C prescribed industrial waste if all of the following conditions have been met.

Waste assessment, treatment and disposal requirements

- 6.1 Wastes must not contain any free liquid as determined by method 9095A 'Paint Filter Liquid Test' in the Test Methods for Evaluating Solid Wastes – Chemical / Physical Methods (USEPA 1997).

- 6.2 Prior to sampling and laboratory analyses of the wastes destined for landfill, wastes must not be mixed or contaminated with any other waste or with any other prescribed industrial waste as listed in Part B of Schedule 1 to the Environment Protection (Prescribed Waste) Regulations 1998.
- 6.3 Prior to their disposal to landfill, wastes must be assessed against compliance with section 3.1 of this classification.
- 6.4 Wastes with results of laboratory analyses exceeding the allowed threshold values of total concentrations or leachable concentrations specified in section 3.1 of this classification must not be disposed of to landfill.
- 6.5 Wastes must only be transported with EPA waste transport certificate/s in a vehicle permitted by the EPA to transport prescribed industrial waste.
- 6.6 Wastes must be disposed of to a facility licensed by EPA to accept Category C prescribed industrial waste.

Monitoring and reporting

- 6.7 Not later than 30 days after disposal of the wastes, the occupier must report to EPA the quantity of wastes, the date/s of its disposal and the name of the landfill accepting the wastes.
- 6.8 Prior to disposal of the wastes, the occupier must submit a full copy of this classification to the receiving landfill facility.

Notification and record keeping

- 6.9 The occupier must keep a copy of laboratory analyses reports of wastes and transport certificate/s for a period of at least five years.
- 6.10 Prior to disposal of the wastes, the occupier must notify EPA in writing of any findings that may warrant a re-classification of the wastes.

7 NOTES

Wastes that have been managed in accordance with the conditions of this classification may only be disposed of using the following waste type code:

‘N121 – Category C contaminated soil’.

This classification may be amended or revoked by the EPA by way of written notice in the Victoria Government Gazette. Current classifications can also be found on EPA’s website at www.epa.vic.gov.au

Environment Protection Act 1970

Act No. 8056/1970

INDUSTRIAL WASTE MANAGEMENT POLICY (PRESCRIBED INDUSTRIAL WASTE)**Prescribed Industrial Waste – Classification by Hazard**

Pursuant to clause 11(1) of the Industrial waste management policy (Prescribed Industrial Waste) and in accordance with the criteria presented in Schedule 1 of that policy, the Environment Protection Authority Victoria ('EPA') hereby classifies the prescribed industrial wastes specified in Section 3 below based on the hazard posed by the waste to human health and the environment.

1 CLASSIFICATION NUMBER

2009/002

2 OCCUPIER AND PREMISES TO WHICH THIS CLASSIFICATION APPLIES

- H & R ANZ Pty Ltd, ACN 109 156 809 ('the occupier')
- Registered Office: 144–152 Fitzgerald Road, Laverton North, Vic. 3026
- Premises address: 144–152 Fitzgerald Road, Laverton North ('the premises')

3 PRESCRIBED INDUSTRIAL WASTE TO WHICH THIS CLASSIFICATION APPLIES

3.1 This classification applies to the following prescribed industrial wastes that have been generated at the premises:

- Waste wax and spent filter earth generated in accordance with the methodology specified in the document titled 'Application for Classification by EPA for Waste Wax and Spent Filter Earth' submitted to EPA on 5 December 2008:
 - containing TPH (C10–C36) with a total concentration not exceeding the TC2 threshold specified in Appendix 3 of EPA Publication 996, 'Guidelines for Hazard Classification of Solid Prescribed Industrial Wastes, 2005' (as amended from time to time) ('EPA Publication 996'); and
 - containing any other contaminants provided that their total concentrations and leachable concentrations do not exceed any TC1 or ASLP1 thresholds specified in Appendix 3 of EPA Publication 996; and
 - that does not display any of the specific hazard characteristics listed in Appendix 2 of EPA Publication 996.

4 PERIOD OF VALIDITY

This classification commences on 6 February 2009 and is effective until 5 February 2011 unless it is revoked or varied by the EPA.

5 HAZARD CLASSIFICATION

Waste wax and spent filter earth that have been managed in accordance with the conditions of this classification (as set out in section 6 below) is classified as Category C prescribed industrial waste.

6 CONDITIONS OF CLASSIFICATION

Waste wax and spent filter earth referred to in section 5 above ('wastes') are only classified as Category C prescribed industrial waste if all of the following conditions have been met.

Waste assessment, treatment and disposal requirements

- 6.1 Wastes destined for landfill must not contain any free liquid as determined by method 9095A 'Paint Filter Liquid Test' in the Test Methods for Evaluating Solid Wastes – Chemical / Physical Methods (USEPA 1997).
- 6.2 Prior to sampling and laboratory analyses of the wastes destined for landfill, wastes must not be mixed or contaminated with any other waste or with any other prescribed industrial waste as listed in Part B of Schedule 1 to the Environment Protection (Prescribed Waste) Regulations 1998.
- 6.3 Wastes with results of laboratory analyses exceeding the allowed threshold values of total concentrations and leachable concentrations specified in 3.1 must not be disposed of to a landfill.

- 6.4 Wastes must only be transported with EPA waste transport certificate/s in a vehicle permitted by EPA to transport prescribed industrial waste.
- 6.5 Wastes may only be disposed of to a facility licensed by EPA to accept Category C prescribed industrial waste.

Sampling and analysis

- 6.6 The occupier must carry out sampling and analysis of the wastes as per Schedule 1 to this classification in accordance with EPA Publication 441, 'A Guide to the Sampling and Analysis of Waters, Wastewater, Soils and Waste, 2000' (as amended from time to time).

Monitoring and reporting

- 6.7 The occupier must provide to EPA:
- before the end of each month a written report for the previous month that includes:
 - quantities of the wastes disposed to landfill; and
 - analytical results and summary charts for wastes analyses as specified in Schedule 1; and
 - by 30 June each year a written report on progress towards moving the management of the wastes further up the waste hierarchy than disposal to landfill.

Notification and record keeping

- 6.8 The occupier must keep a copy of all analysis results for wastes for at least five years.
- 6.9 The occupier must immediately notify EPA in writing of any wastes that do not meet the requirements of this classification.

7 NOTE

This classification may be amended or revoked by the EPA by way of written notice in the Victoria Government Gazette. Current classifications can also be found on EPA's website at www.epa.vic.gov.au

Schedule 1: Sampling and analysis requirements

Period	Sample Requirements	Frequency	Analytical Parameters
06 Feb 2009 – 05 Feb 2011	One grab sample of wastes from each load released from the filter press combined into one composite sample for analysis for every load sent to the landfill	Every disposal load to landfill	Analysis of total contaminant concentrations before and after silica clean-up steps and leachable concentrations for the following contaminants listed in Appendix 3 of EPA Publication 996: – TPH (C6–C9) – TPH (C10–C36)
06 Feb 2009 – 05 Feb 2011	One grab sample of wastes from each monthly composite sample	Every 30 June during the classification period	Analysis of total contaminant concentrations all contaminants listed in Appendix 3 of EPA Publication 996 except asbestos and tributyltin oxide Analysis of leachable concentrations for all of the above contaminants with total concentrations greater than 20 times the ASLP1 threshold in Appendix 3 of Publication 996

craftsmanpress

The *Victoria Government Gazette* is published by The Craftsman Press Pty Ltd with the authority of the Government Printer for the State of Victoria

© State of Victoria 2009

This publication is copyright. No part may be reproduced by any process except in accordance with the provisions of the Copyright Act.

Address all enquiries to the Government Printer for the State of Victoria
Level 2 1 Macarthur Street
Melbourne 3002
Victoria Australia

How To Order

	Mail Order	Victoria Government Gazette Level 1 520 Bourke Street Melbourne 3000 PO Box 1957 Melbourne 3001 DX 106 Melbourne
	Telephone	(03) 9642 5808
	Fax	(03) 9600 0478
	email	gazette@craftpress.com.au
	Retail & Mail Sales	Victoria Government Gazette Level 1 520 Bourke Street Melbourne 3000 PO Box 1957 Melbourne 3001
	Telephone	(03) 9642 5808
	Fax	(03) 9600 0478
	Retail Sales	Information Victoria 505 Little Collins Street Melbourne 3000
	Telephone	1300 366 356
	Fax	(03) 9603 9920

Price Code A